

PRICE QUOTATION FORM

Note: Please fill-out the Price Quotation Form completely with the corresponding unit price of each item and the total price of the required quantities. Otherwise, the said quotation shall not be considered by the DOJ Bids and Awards Committee

Date: _____

Assistant Secretary **MARGARET V. CASTILLO-PADILLA**
 Chairperson, DOJ Bids and Awards Committee
 Room 112, Ground Floor, Delas Alas Hall, DOJ Compound
 Padre Faura Street, Ermita, Manila

Madam:

After having carefully read the terms and conditions in the Request for Quotation for the Project: **Purchase of various machinery and equipment**, hereunder is our proposal/price quotations for the following item/s:

Quantity	Unit	Description	Unit Price	Total Price
1	unit	<i>Fiber Glass Extension Ladder</i> D-Shaped Rungs Patented quick latch rung lock system Steel swivel safety shoes with metal shield Mar-resistant rail end caps Outside slide guides Direct rung-rail connection Non-conductive side rails for working around electricity Materials: Fiberglass Size: 24ft Load Capacity: 225lbs Size Product: 41L x 15W x 380H cm		
1	unit	<i>Aluminum Folding Ladder</i> 5 steps x 4 fold (19ft) High strength aluminum profiles With special locking device Pedal profile for the tubes, stable non-slip		
1	unit	<i>Laser Range Finder</i> Power type: Rechargeable Size: 125 x 54 x 27 mm Measurement accuracy: +/-2mm Laser level: 635nm class II Measure range: 100 meters		
1	unit	<i>Electric Circuit Tester</i> 600V Cat III safety design specifications 50% of the display range, bright white backlight Over voltage indicator		

Quantity	Unit	Description	Unit Price	Total Price
		Frequency and temperature measurement Voltage, resistance, current, capacitance Input terminal of the AC and DC current measurement value of 10A Diode test, data retention		
1	unit	Mechanical Measuring Wheel Measure 10,000 meters Increment of 10 cm Patent protected wrist design High traction flat PU tire mounted onto rim Firm and solid kickstand Wheel Diameter: 318.5mm Wheel Circumference: 100cm		
1	unit	Telephone Line Test Handset High-impedance monitor for uninterrupted data, conversations or signaling DTMF tone/pulse switchable dial pad to test signals 3-position volume control for up 12dB of gain Polarity indicator Last number redial (3-digit max) 10 number memory storage Includes cloth covered cord equipped with anchored strain relief Modular RJ11 plug Two 5-way test clips and spade connector cord		
2	unit	Push Cart/Platform Truck – 300Kg. 4-ball bearing braked wheels for easy and safe steering Tubing and flat form made of tough steel and for added durability Strong, rigid steel handle for secure maneuvering of loads Scroll down Open dimensions: 91 x 61 x 85cm Folded dimension: 91 x 61 x 28cm Steel base plate: 91 x 61cm Ball bearing wheels: 12.5cm PP+TPR Weight: 14.5kg		

TOTAL P

(Amount of Bid in Words) _____

The above-quoted prices are inclusive of all costs and applicable taxes.

Very truly yours,

Name and Signature of the Bidder
or Authorized Representative

Name of Company/Business

Address

Contact No. and E mail Address